

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) EP 1 031 913 A2

(12) EUROPEAN PATENT APPLICATION

(43) Date of publication:
30.08.2000 Bulletin 2000/35

(51) Int. Cl.⁷: G06F 3/023, H04M 1/72

(21) Application number: 00301072.5

(22) Date of filing: 11.02.2000

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: 22.02.1999 GB 9904013

(71) Applicant:
NOKIA MOBILE PHONES LTD.
02150 Espoo (FI)

(72) Inventor: Williams, Stephen
33820 Tempere (FI)

(74) Representative:
Jeffery, Kendra Louise
Nokia IPR Department
Nokia (UK) Limited
Summit Avenue
Southwood
Farnborough Hampshire GU14 0NZ (GB)

(54) A communication terminal having a predictive editor application.

(57) A communication terminal having a display; a keypad having a plurality of keys associated with several letters each; processor means controlling the display means in accordance with the operation of the keypad; a selectable predictive editor program for generating an output containing words matching a received string of ambiguous key strokes, said predictive editor program has a number of associated vocabularies including at least one language dependent dictionary and at least one dictionary receiving user defined inputs. An editor application is controlled by the processor means communicates with said predictive editor programs for generating matching words based on an ambiguous string of key strokes. Second memory means of the communication terminal for storing user inputted data. The processor means automatically searches said second memory means for words and copies these words into said at least one dictionary for receiving user defined inputs and associated with said predictive editor program.




FIG. 3

EP 1 031 913 A2

Description

[0001] The invention relates to a communication terminal having a predictive editor application for entering and editing data. Such a terminal can be a cellular or cordless phone or a communicator. The editor is used for editing text for message handling, phonebook editing and searching etc.

[0002] Tegic Communications, Inc has developed an intelligent software protocol that allows the users to enter ambiguous key strokes into an electronic device. The predictive editor program, named T9[®], automatically determines from all the possible matches, the intended word. The predictive editor program matches entered keystrokes with completed words from a linguistic database. This concept is subject for US 5.818.437 and WO 98/33111.

[0003] An object of the invention is to provide a communication terminal using the predictive editor program allowing the user in an easy way to also handle the most common names of person the user communicates with.

[0004] This object is achieved by a communication terminal having a display; a keypad having a plurality of keys associated with several letters each; processor means controlling the display means in accordance with the operation of the keypad; a predictive editor program for generating an output containing word matching a received string of ambiguous key strokes. The predictive editor program has a number of associated vocabularies including at least one language dependent dictionary and at least one dictionary receiving user defined inputs. An editor application controlled by the processor means communicates with said predictive editor programs for generating matching words based on an ambiguous string of key strokes. Second memory means of the communication terminal is used for storing user inputted data. The processor means automatically searches said second memory means for words and copies these word into said at least one dictionary for receiving user defined inputs and associated with said predictive editor program. Hereby data available in an electronical phonebook database will automatically be copied into the user defined dictionary even though this data was not entered by using the predictive editor program. Also data coming from a new SIM card may enter the user defined dictionary by this concept.

[0005] The invention furthermore relates to a communication terminal having a display; a keypad having a plurality of keys associated with several letters each; processor means controlling the display means in accordance with the operation of the keypad; a selectable predictive editor program for generating an output containing word matching a received string of ambiguous key strokes, said predictive editor program has a number of associated vocabularies including at least one language dependent dictionary and at least one dictionary receiving user defined inputs. An editor application controlled by the processor means communicates with said predictive editor programs for generating matching words based on an ambiguous string of key strokes, said editor application stores words that have to be entered in an unambiguous way in one of said least one dictionary receiving user defined inputs. The processor means associates a storing time for the unambiguous entered words stored in dictionary receiving user defined inputs; and the processor means maintains the dictionary containing the unambiguously entered words in accordance with the storing time. The user defined dictionary will hereby delete seldomly used words when the memory becomes full.

[0006] The invention does furthermore relate to a communication terminal with a keypad having a key for requesting the processor to replace said one word from the list of matching words, and said processor handled this list of matching words as an endless loop. Hereby alternative matches becomes available in an easy way.

[0007] The invention does furthermore relate to a communication terminal with a keypad having a key for requesting input of a special sign from a list of special signs in the text string, and wherein the keypad has a key for requesting the processor to replace a special sign with the next special sign from the list of special signs, and said processor handled this list of special signs as an endless loop. Hereby alternative special signs become available in an easy way.

[0008] Finally the invention relates to a communication terminal having an editor application that opens a word for editing with the predictive editor program when a cursor is placed at the beginning or the end of the word, whereby the editor application regenerates a sequence of key strokes based on the presently displayed match, and whereby the editor application adds new key strokes to the regenerated sequence of key strokes in dependence of the position of the cursor and the key pressed. the editor is hereby able to regenerate the sequence of key strokes and the user does not have to re-enter the full word when he wants to add a new beginning or ending to the word.

[0009] For a better understanding of the present invention and to understand how the same may be brought into effect reference will now be made, by way of example only, to accompanying drawings, in which:

Fig. 1 schematically illustrates a preferred embodiment of a hand portable phone according to the invention.

Fig. 2 schematically shows the essential parts of a telephone for communication with a cellular or cordless network.

FIG. 3 shows the major components of the predictive editor according to a preferred embodiment of the invention.

FIG. 4 shows the architecture of the ambiguity eliminating software according to a preferred embodiment of the invention.

Fig. 5 schematically illustrates an alternative embodiment of a hand portable phone according to the invention.

Fig. 6 illustrates a sequence of displays illustrating the text entry according to the invention.

5 Fig. 7 schematically illustrates a further alternative embodiment of a hand portable phone according to the invention.

Fig. 8 illustrates a sequence of displays illustrating the handling no matching words according to the invention.

10 Fig. 9 illustrates a sequence of displays illustrating the handling of a compound word according to the invention.

Fig. 10 illustrates a sequence of displays illustrating the text clearing according to the invention.

Fig. 11 illustrates a flow diagram for the editor application according to the invention.

15

[0010] Fig. 1 shows a preferred embodiment of a phone according to the invention, and it will be seen that the phone, which is generally designated by 1, comprises a user interface having a keypad 2, a display 3, an on/off button 4 (fig. 3), a speaker 5 (only openings are shown in fig. 1), and a microphone 6 (only openings are shown in fig. 1). The phone 1 according to the preferred embodiment is adapted for communication via a cellular network, but could have been designed for a cordless network as well.

20

[0011] According to the preferred embodiment the keypad 2 has a first group 7 of keys as alphanumeric keys, a soft key 8, and a navigation key 10. Furthermore the keypad includes a "clear" key 9. The present functionality of the soft key 8 is shown in a separate field in the display 3 just above the key 8. This key layout is characteristic of the Nokia 3110™ phone and the Nokia 5110™ phone.

25

[0012] The phone 1 has an inner housing of which gripping areas 23 are visible. An exchangeable front cover 21 and rear cover 22 are snapped onto the inner housing.

30

[0013] Fig. 2 schematically shows the most important parts of a preferred embodiment of the phone, said parts being essential to the understanding of the invention. The preferred embodiment of the phone of the invention is adapted for use in connection with the GSM 900MHz and GSM 1800 MHz network, but, of course, the invention may also be applied in connection with other phone networks. The processor 18 controls the communication with the network via the transmitter/receiver circuit 19 and an antenna 20 that will be discussed in details below.

35

[0014] The microphone 6 transforms the user's speech into analog signals, the signals formed thereby are A/D converted in an A/D converter (not shown) before the speech is encoded in an audio part 14. The encoded speech signal is transferred to the processor 18, which i.a. supports the GSM terminal software. The processor 18 also forms the interface to the peripheral units of the apparatus, including a RAM memory 17a and a Flash ROM memory 17b, a SIM card 16, the display 3 and the keypad 2 (as well as data, power supply, etc.). The audio part 14 speech-decodes the signal, which is transferred from the processor 18 to the earpiece 5 via a D/A converter (not shown).

Basic Operation of the predictive editor.

40

[0015] FIG. 3 shows the major components of the predictive editor according to the invention. The man-machine interface is established by the display 3 and the keyboard 2. The processor 18 executes instructions and reads and writes data from a memory 17. Software instructions in the memory 17 include an operating system 40, a disambiguation program 42 and its vocabularies 41, and optionally one or more application programs 43, 44.

45

[0016] Target applications programs 43, 44 for the predictive editor used in a handset include the electronic phone book memory, notepad, messages, calendar, and internet browsing.

[0017] According to the preferred embodiment of the invention the predictive editor will be used as an alternative together with the standard text editor used in handsets. This standard editor is also based on a plurality of keys each associated with several letters. However the individual letter is selected by multi-pressing the key in question.

50

[0018] Data is entered on the keypad 2 which comprises of individual alphanumerical keys 7. Most of these keys 7 have multiple meanings, represented by letter, numbers and symbols printed on the keys. The entered text is shown in the display 3 of the phone. The text already entered (and accepted by the user) is shown in the same text format as the standard display format of the phone. The word presently being entered is underlined or reversed in colors in order to indicate that the letter string has not been fixed yet. The predictive editor is able to interpret individual keys and multiple key sequences in several ways simultaneously.

55

[0019] A selection list 50 lists the various interpretations and options. A selection key 51 steps through items in the selection list 50, allowing the user successively to replace the displayed candidate with the following candidate on the list 50. The list 50 is handled as an endless loop whereby the originally displayed candidate is displayed again when the

user has scrolled through the other items on the list by using selection key 51. The candidate is selected by pressing a spacer key 53.

System Architecture

[0020] FIG. 4 shows the architecture of the disambiguating software. An input from a keypad 2 is processed in an input manager 60. Input data is via internal bus means 64 passed to a processing module 61, which keeps a record of the current key sequence until the user has accepted a word based on this sequence by pressing the space key 52. When a key stroke has been received by processing module 61, the current key sequence is communicated via internal bus means 64 to a prediction processor 62, which forwards the sequence to one or more modules 41 acting as electronic vocabularies.

[0021] The vocabulary modules 41a, 41b, 41c, ...41N work in parallel and respond individually if they contain data matching the current key stroke sequence. One vocabulary module 41a might include a dictionary containing words in a language, e.g. English, defined by the user and used as editing language. According to the preferred embodiment some of the vocabulary modules 41a, 41b, 41c, ...41N may contain personalized user defined words, e.g. entered by using the standard editor of the phone (when the predictive editor did not find the word the user was looking for) or by copying the names from the phonebook into one of the vocabulary modules. In the preferred embodiment vocabulary module 41b and 41c contains the word entered by the standard editor and word copied from the phonebook, respectively.

[0022] The vocabulary modules 41a, 41b, 41c, ...41N often supply a plurality of matching word - either being displayed or available through the selection list 50. The prediction processor 62 accumulates a complete list of matching words for the selection list 50 from all vocabulary modules 41a, 41b, 41c, ...41N. When prediction processor 62 has finalized the processing, the processing module 61 transfers the selection list 50 to a display manager 63 and the display 3 via the internal bus means 64.

[0023] In the most cases, the disambiguation software will work as an editor server and therefore pass data strings directly to another client or application program 43, 44 running on the processor 18, too. In this case the keypad 2, the input processor 60 and the display manager 63 will be integrated in the application program 43, 44 using the predictive editor as a server. These applications may include the electronic phone book memory, notepad, messages, calendar, and internet browsing.

Vocabulary look-up processing.

[0024] Vocabulary look-up processing is handled by a computer program being available on the market today. Therefore these parts will not be described further. Both the disambiguation software and the basic dictionaries in a plurality of languages are available from Tegic Communications, Inc. under the tradename T9. As well the disambiguation software and the basic dictionaries (e.g. the English one) requires 100 kbyte memory space each.

[0025] The basic dictionaries are compressed in order to reduce the memory requirements. The user defined directories are less memory consuming and only requires 2-4 kbyte each according to the preferred embodiment. These dictionaries are not compressed and work advantageously according to the first in first out principle.

Userinterface for the predictive editor program.

[0026] The preferred embodiment of the predictive text input according to the invention will be based on Tegic's T9 technology. The core functionality of T9 is as discussed above its ability to generate the intended text onto the screen from ambiguous keystrokes entered on a phone keypad, requiring only one keystroke per letter. This provides a more efficient method of entering text than the traditional multi-tap method requiring many more keystrokes per letter due to the multiple mappings of letters to a given key.

[0027] The predictive editor program makes this possible because it is based on a large intelligent dictionary that allows the editor to predict what word the user intended based on the number of key-presses and combination of key-presses. Often several words will match the keystrokes that are input and the user chooses the desired match from those offered by the predictive editor program.

[0028] While the phone in fig. 1 had only a single soft key, the phone in fig. 5 is equipped with two soft keys. Fig. 5 shows an alternative embodiment of a phone according to the invention. The major difference between the two phones shown in fig. 1 and 5, respectively, is the keys in the keypad and as it will be explained later the soft key functionality labels displayed in the display 3. The same referral numbers are used in fig. 1 and 5 for items having similar functionality.

[0029] According to the alternative embodiment the keypad 2 has a first group 7 of keys as alphanumeric keys, two soft keys 24 and 25, and a navigation key 28 having the same functionality as the navigation key 10 but placed centrally

below the display 3. Furthermore the keypad and off-hook key 30 and an on-hook key 31. The present functionality of the soft key 24 and 25 is shown in separate fields in the display 3 adjacent to said keys. This key layout is characteristic of the Nokia 2110™ phone and the Nokia 6110™ phone.

[0030] With reference to fig. 6 a display sequence illustrating the basic operation of the text input based on the predictive editor program for the embodiment illustrated in fig. 5. In the initial display (the first display), a cursor 70 indicates that the editor is ready for a "new" word to be typed to the editor. Above the text area an icon 71 indicates the status of the phone (spelling) based on the predictive editor program. Furthermore the two softkey labels 72 and 73 indicates that the functionality of the softkeys during this are "options" and "back". When pressing the "back" softkey 24 the phone leaves the text editing mode and jumps one step up in the menu structure. When pressing the "options" softkey 25 the user is offered a list of actions as "send the text as an SMS", "save the text", "clear the display" and "switch between predictive editor and multi tap editor (the traditional text editor of a phone)". Furthermore the "options" softkey 25 will provide the user with some editing tools that will be discussed later on.

[0031] When the phone only has one softkey 8 as shown in fig. 1, the softkey 8 will have the functionality "options", while the "back" functionality is handled by the clear key 9.


1	65	2 - abc	3 - def
4 - ghi		5 - jkl	6 - mno
7 - pqrs		8 - tuv	9 - wxyz
* - +	66	0 - 	67 # - ↑

Table 1. Layout of the alphanumeric keys 7.

[0032] Table 1 shows the layout of the alphanumeric key 7. When starting to type a word, the user simply presses the digit key containing the desired letter once. Fig. 6 second to fifth display shows how the user presses the following keys (once) in order to type the word "case":

"2 abc " to insert the "c"
 "2 abc " to insert the "a"
 "7 pqrs " to insert the "s"
 "3 def " to insert the "e"

[0033] That means in total only four key-presses.

[0034] Often when typing the first few letters of a word, the predictive editor program is not yet able to display the intended characters and may erroneously display an unintended string of characters. These are therefore displayed as merely temporary characters in the display while the predictive editor program is evolving a match. When continuing the typing of the remaining characters in the word, the displayed characters will become more accurate. No matter what the display shows, the user simply types the next character in the word he wants to type.

[0035] During the inputting of a word to the predictive editor program, all the characters in the word are shown with underlining 74. This indicates that the word has not yet been finalised and all the characters shown underlined may still change as the predictive editor program evolves a match to the keypresses. As long as the entering of a word is in progress the already entered part of the word remains underlined. It is furthermore seen that the softkey label 73 for the right softkey 24 changes to the "Clear" functionality.

[0036] The user accepts a word by pressing the space key (the key 67 -table 1), or by switching the predictive editor program off. When the user accepts a word this will be freezed meaning that the predictive editor program is no longer working on it and the marking 74 will be replaced the cursor bar 70. When spaces between words are deleted, the two words are concatenated into one, but the user is allowed to continue adding characters to the first word. In any situation, the word will be finally inserted, the text will no longer be underlined and the cursor 70 re-appears after the accepted word.

[0037] The user can delete characters backwards in a word by simply pressing the "Clear" key 9 once for each character to be deleted. The active word might in this situation also change based on the remaining key sequence. This is illustrated in fig. 10 where the suggested match "cas" in the display is changed to "ac" by deleting a key stroke and changed again to "can" by pressing the "6 -mno" key.

[0038] If the user deletes a complete word, the phone return to the "initial word entry" mode, and the user can again type a new word.

[0039] If the user has typed a word and frozen the word by pressing the space key 67, and then clears this space

after the word, then the cursor 70 will be placed at the end of the word but the predictive editor program will at this point no longer be active (the already entered word will not be underlined). If the user clears from this state, he will remove the last character of existing word, and then this word which was left of the cursor 70 will become underlined and active again.

Special characters.

[0040] While the predictive editor program is active, pressing the 1-key 65 will allow a smart insertion of punctuation. This means that the predictive editor program will try to predict, based on the situation, which commonly used punctuation mark, is intended. These may include the period, comma, question mark, exclamation point, and apostrophe. If the user e.g. wants to type the word "can't", he can simply press the following sequence:

"2 abc" to insert the "c"
 "2 abc" to insert the "a"
 "6 mno" to insert the "n"
 "1" to insert the apostrophe
 "8 tuv" to insert the "t"

[0041] The default value will most often suggest a period, if no other matches seem appropriate. The match function available on *-key 66 will also work in this situation, allowing the user to toggle through other choices like period, comma and similar special characters available on the 1-key 65.

[0042] Inserting digits can be done in two ways. First of all, long-pressing a digit in any situation will directly insert the corresponding digit into the editor. This is convenient when only inserting one or two digits. However, when entering a long string of digits then the menu "Options" has a submenu "Insert Number" that gives access to an insert number query window allowing the user to insert a string of digits. This is done by pressing the corresponding digit keys on the keypad for the numbers desired. After entering the desired number, the user presses an "OK" softkey and the text editing starts again.

[0043] The menu "Options" has another submenu "Insert Symbol" in which the user is given access to a plurality of symbols, characters and signs such as: @, \$, £ and letters not occurring in the language used in the dictionary. The user can scroll through the candidates by using the ***-key 66.

Searching alternative matches.

[0044] In some situations, the key sequence typed by the user might allow several words to "fit". In this situation, the predictive editor program will always first suggest the two most "common" words from the core dictionary. Here after all the whole word matches from the user dictionary will be shown, and finally all remaining matches from the core dictionary are shown. In many cases, the user might be looking for another word other than the immediately suggested one. There might be two or more possible matches to the key sequence. This is most often the case with short words.

[0045] The user can switch to other possible matches by pressing the *-key 66. This will immediately give the next possible match.

[0046] However the "options" softkey 25 will include a submenu called "matches" giving access to a list of matches the user can scroll through the list by pressing the left soft key 25 that will have the functionality "Next match". The alternative match candidate will replace the active underlined word in the text and the alternative match candidate is selected in the same way as the default match candidate - e.g. by pressing the space-key 67. The list is handled as a loop. If no matches beyond what is already displayed then a note will be displayed saying "No Match Found".

[0047] If there are several matches to the key-sequence typed by the user, pressing the *-key 66 will immediately give the next possible match (the second most common match). A specific match from the *-key 66 is finalized by finalising the word as usual e.g. by inserting a space.

[0048] When the left softkey 25 is used for matching purpose the right softkey 26 has an "Undo" functionality. This means when a match other than the default match is shown pressing the right softkey 26 will clear the match and revert to the first match for that key sequence. Pressing the clear key 9 will undo a match, effectively backstepping one match.

[0049] If the cursor 70 is touching a word that is not underlined and therefore not active, pressing the *-key 66 will also make the word active again and offer the next match.

No matching word

[0050] If the predictive editor program runs out of possible word matches during the typing of a word, the display will show a unique error symbol 75; fig. 8, first display after the entered characters and the left Softkey 25 (fig. 5) will

change functionality label 72 from "Options" to "Spell" providing a shortcut to the insert word query where the user can manually enter the desired word based on the multi tap editor normally used in the phones. The query should appear empty as seen in the second display of fig. 8. The user is allowed to enter letters by the well known multi-tap method in the position marked by the bar 76. The user accepts the word by pressing the left soft key 25 having the functionality label 72 whereby the editor returns to editing by using the predictive editor program.

[0051] When the phone has only a single softkey 8 as in fig. 1 the Softkey 8 will change from "Options" to "Insert" also providing the shortcut to the insert word query where the user can manually enter the desired word. The query should appear empty.

[0052] If the user continues to use the predictive editor program the last entered character will hence be displayed as an error symbol, to indicate to the user that no further possible words matches to the typed key sequence. The phone will emit a short alert beep to draw attention to indicate the lack of matches. If the user types more keys in the situation the display will not show more characters and an information note saying "No Match Found" will be shown.

[0053] If the user finds out that he misspelled the word, he can simply press the "Clear" key 9, until the incorrect character can be changed. If the user chooses to accept a misspelled or unknown word e.g. by inserting space character, the error symbol will disappear, and the last recognised word will be inserted into the text.

Cursor movement.

[0054] Since the predictive editor program input method basically can only handle adding or deleting at the end of a word, the cursor handling is optimised for this.

[0055] Given the situation where the cursor is placed at the end of the text. By using the navigation key 28 for scrolling left the editor will activate the entire word to the left of the cursor 70, allowing the user to add additional characters to the word (using both the pre-existing word and the new key-presses to generate matches).

[0056] Scrolling left again will move the cursor 70 to the left of the word (the previously underlined word now no longer active for editing and therefore no longer underlined) and the editor is ready to type a new word.

[0057] Scrolling left again moves the cursor to the end of previous word, underlining it, allowing the user to add to that existing word. This cycle repeats when navigating through the text.

[0058] If the user moves the cursor 70 through several consecutive spaces, the cursor 70 will be moved one space at a time. Also, when moving through symbols, numbers, etc., the cursor is moved one character at a time.

[0059] If the user wants to add a new word to the end or beginning of an existing word by using the predictive editor program, this is simply done by first moving the cursor to the end or beginning of the existing word, respectively. From here, the user simply starts typing the new word.

[0060] The editor application opens the already written word for editing with the predictive editor program by placing the cursor in the desired position. Then the editor application regenerates the sequence of key strokes based on the presently displayed matching word. When the editor application adds new key strokes to the regenerated sequence of key strokes in dependence of the position of the cursor and the key pressed. this new string is used by the predictive editor program to find new matches.

[0061] If the user wants to edit an existing word by using the predictive editor program, this is done first by moving the cursor just after the word (activating the word in question causing it to be underlined). Then the user can directly add e.g. an ending to the word or if desired, can delete characters by pressing the clear key 9.

[0062] Whenever the "Insert Word" query is selected, by pressing OK softkey, the words that were entered in the query are added both to the user dictionary 41b as well as to the main editor window. A confirmation note "Word Saved" appears as well. Upon re-entry to the predictive editor program, insertion point will be after the last letter of the manually only spelled word.

Options lists

[0063] The "Option" menu in the predictive editor program will include some submenu items as:

- Matches
- Next Match
- Insert Word
- Insert Number
- Insert Symbol
- Dictionary

[0064] The match related items and the insert related items have already been discussed above. All languages supported by the predictive editor program for the phone will appear as choice items under "Dictionary" submenu item.

The default language follows advantageously the display text language of the phone. This default may be to turn the predictive editor program off and revert to traditional input for the display text language when the predictive editor program does not include a dictionary supporting the language in question. Changing to another language will simply cause the predictive editor program to run in the new language. The user dictionary will not be affected by this.

User dictionary.

[0065] The predictive editor program supports a user dictionary, where words not initially known by the program can be stored. Any manually entered string of characters separated by a space will generate a new item in the user dictionary. When words are added to the user dictionary, they will become predictable by the predictive editor program thereafter. The storing of new words to the user dictionary is completely automatic, and is done whenever a new word is created. Only words not already in the core dictionary or the user dictionary will be added under the control of the prediction processor 62.

[0066] Words entered using the predictive editor program will already be in the core dictionary and will not need to be added to the user dictionary. However in some languages there exists a few cases where words should be added to the user dictionary. According to the preferred embodiment these cases shall be handled as follows:

- When the user creates a compound word in the predictive editor program, the word is added when the word is finalised.
- When the user deletes the space (or other delimiter) between two words, resulting in concatenation of these two words. The new word will then be added to the user dictionary after a timeout to avoid accidentally adding words when intention is editing.

[0067] Furthermore when names are saved in the phone book they will be linked to the user dictionary so they will be recognised as candidates by T9 when entering text.

[0068] When the phone 1 according to the preferred embodiment of the invention is started up or when a new SIM card has been inserted the full phonebook memory from the SIM card 16 is copied to the user directory 41c of the phone. On the SIM card 16 data is stored as preformatted records and these records are copied word by word into the user directory 41c.

[0069] For simplicity, the user dictionary is common for all languages. This means that the user dictionary can contain words that were added through the Insert Word submenu in many different languages. The size of a user dictionary will be limited by the available memory, so a user dictionary will be built up as a "cyclic" buffer, where the "oldest" words - when the buffer is full - will be automatically deleted when new words are added. A words creation date is reset each time it is used, so that even though a word was added to the dictionary long time ago, it will not be deleted if frequently used. In summary, the first word to be deleted from the user dictionary will be a word that was added to the user dictionary a long time ago and has not been used much since.

[0070] In practice the processor 18 adds the storing time to the dictionary when a word is stored. This storing time will be updated the next time the processor 18 tries to add the same word.

Compound words.

[0071] In a further alternative embodiment shown in fig. 7, the navigation key 28 shown in fig. 5 is replaced by a roller key 29 having scroll up/down functionality and selection by pressing the roller body. This concept is described in the applicants pending US application 08/923.696 filed 4. September 1997. This application is hereby incorporated by reference. In this further alternative embodiment pressing of the roller body will accept the word as it is, and no space will be inserted after the word. This is especially useful to create compound words, which are important in many languages.

[0072] In many languages such as German and the Scandinavian languages you are allowed to create new words (compound words) by connecting standard words. The predictive editor program dictionary only contains very common compound words, so it will not guess a Danish word like e.g. "laserkavitetslaengde" meaning "laser cavity length" in English. This is not a problem in English, since compound words hardly occur. But in Danish, German, Finnish etc, it is valuable for the user to type the compound words in parts by writing the first part of the compound word, then "freeze" this part, and then continue with the remaining part of the compound word.

[0073] Pressing the navigation key 29 (fig. 7) or rolling up once or rolling down once would remove the highlighting from under the current word and show the cursor at the end of the word, allowing then user to add additional characters without changing the start of the compound word intended. The same will be obtained by scrolling left or right once by using the navigation key 10 (fig. 1) or 28 (fig. 5). Also, a short press of the power key 4 would also freeze the current word and allow easy creation of a compound word.

[0074] Fig 9 shows how the user has spelled the word 77 "steam", and when this word is still active (underlined) he presses the navigation key 28 whereby the underlining disappears. When the user continues to enter letters only the letters 78 entered after the pressing of the navigation key 28 will be active. However when the entering is finalized the full word "steamlocomotive" will be displayed as a single word.

5 [0075] A further advantage of this concept is that the user when writing the word indicates where he wants to split (wrap the word) the full compound word if he has to split it over two lines in the display.

[0076] The basic editing concept is shown in fig. 11. When the predictive editor is started up the editor starts to wait for a key stroke in step 100. When a key stroke is detected it is added to a key stroke string and transferred to the predictive editor program in step 101. The predictive editor program responds to this input in step 102 and in step 103 the processor 18 investigates whether the predictive editor program could find possible matches.

10 [0077] If no possible matches is found in step 103 the last possible match is displayed in step 104 together with an error symbol (fig. 8, first display) and the functionality of the left soft key is changed to a short cut to the multi-tap spell mode.

[0078] If the user in step 105 accepts (by pressing the space key) the last possible match this word will be added to the text. Hereafter the key stroke string is cleared in step 106 and the editor starts to wait for a key stroke in step 100.

15 [0079] If the user in step 106 goes to the multi-tap spell mode he can enter the intended word in an unambiguous way (fig. 8, second display) in step 107. When accepting the entered word by pressing the left soft key 25 this word will be added to the text. Hereafter the key stroke string is cleared in step 106 and the editor starts to wait for a key stroke in step 100.

20 [0080] If the predictive editor program were able to find matches in step 103 the preferred one is displayed in step 108. In step 109 the next key stroke is read. In step 110 it is checked whether the user searches for alternative matches by pressing the "" key 66. If this is the case the alternative match is displayed in step 111.

[0081] In step 112 it is checked whether the user accepts the displayed word by pressing the space key. If this is the case the word will no longer be active and will be added to the entered string of words in step 113. Hereafter the key stroke string is cleared in step 106 and the editor starts to wait for a key stroke in step 100.

25 [0082] If the key stroke is deemed to represent an ambiguous character the editor goes to step 101 for adding the key stroke to the key stroke string for looking for matches.

Claims

30 1. A communication terminal having:

- a display;
- a keypad having a plurality of keys associated with several letters each;
- 35 • processor means controlling the display means in accordance with the operation of the keypad;
- a predictive editor program for generating an output containing word matching a received string of ambiguous key strokes, said predictive editor program has a number of associated vocabularies including at least one language dependent dictionary and at least one dictionary receiving user defined inputs;
- 40 • an editor application controlled by the processor means communicates with said predictive editor programs for generating matching words based on an ambiguous string of key strokes;
- second memory means of the communication terminal for storing user inputted data in a electronic database;
- said processor means automatically searches said second memory means for words and copies these words into said at least one dictionary for receiving user defined inputs and associated with said predictive editor program.

45 2. A communication terminal according to claim 1 wherein said second memory means is an electronic phonebook database containing names and associated phone numbers.

50 3. A communication terminal according to claim 2 wherein said electronic phonebook database is stored on a Subscriber Identity Module in a cellular phone.

4. A communication terminal having:

- a display;
- 55 • a keypad having a plurality of keys associated with several letters each;
- processor means controlling the display means in accordance with the operation of the keypad;
- a predictive editor program for generating an output containing words matching a received string of ambiguous key strokes, said predictive editor program has a number of associated vocabularies including at least one lan-

guage dependent dictionary and at least one dictionary receiving user defined inputs;

- an editor application controlled by the processor means communicates with said predictive editor programs for generating matching words based on an ambiguous string of key strokes, said editor application stores words that have to be entered in an unambiguous way in one of said least one dictionary receiving user defined inputs;
- said processor means associated a storing time for the unambiguously entered words stored in dictionary receiving user defined inputs; and
- said processor means maintains the dictionary containing the unambiguously entered words in dependence of the storing time.

5. A communication terminal according to claim 4 wherein the processor means updates the storing time every time the word is used by the editor application.

6. A communication terminal according to claim 5 wherein the dictionary containing the unambiguously entered words is built up as a cyclic buffer, where the word having the oldest storing time is removed from the memory when a new word is added and the buffer is full.



7. A communication terminal having:

- a display;
- a keypad having a plurality of keys associated with several letters each;
- processor means controlling the display means in accordance with the operation of the keypad;
- a predictive editor program for generating an output containing word matching a received string of ambiguous key strokes;
- an editor application controlled by the processor means for editing a text based on the predictive editor programs interpretation of key strokes, and comprising:
 - means for storing string of entered words,
 - means for storing a sequence of key strokes, said sequence is updated upon the occurrence of a new key stroke, and being used as input to the predictive editor program,
 - means for storing a list of matching words received from said predictive editor program,
- said processor means combines the text string and one word from the list of matching words for displaying in the display of at least a part of said text string and one word from the list of matching words, said one word from the list of matching words is marked in comparison to the remaining part of the text string and added to the text string upon acknowledgement by the user.

8. A communication terminal according to claim 7 wherein the keypad has a key for requesting the processor to replace said one word from the list of matching words, and said processor handling this list of matching words as and endless loop.

9. A communication terminal according to claim 7 wherein the a keypad has a key for requesting input of a special sign from a list of special signs in the text string, and wherein the a keypad has a key for requesting the processor to replace a special sign with the next special sign from the list of special signs, and said processor handling this list of special signs as and endless loop.

10. A communication terminal according to claim 7 wherein the editor application opens a word for editing with the predictive editor program when a cursor is placed at the beginning or the ending of the word, whereby the editor application regenerates a sequence of key strokes based on the presently displayed match, and whereby the editor application adds new key strokes to the regenerated sequence of key strokes in dependence of the position of the cursor and the key pressed.






FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8




FIG. 9




FIG. 10




FIG. 11



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 031 913 A3**

(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
30.05.2001 Bulletin 2001/22

(51) Int. Cl.⁷: **G06F 3/023, H04M 1/72**

(43) Date of publication A2:
30.08.2000 Bulletin 2000/35

(21) Application number: **00301072.5**

(22) Date of filing: **11.02.2000**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Williams, Stephen**
33820 Tempere (FI)

(30) Priority: **22.02.1999 GB 9904013**

(74) Representative:
Jones, Kendra Louise
Nokia IPR Department
Nokia (UK) Limited
Summit Avenue
Southwood
Farnborough Hampshire GU14 0NZ (GB)

(71) Applicant:
NOKIA MOBILE PHONES LTD.
02150 Espoo (FI)

(54) **A communication terminal having a predictive editor application.**

(57) A communication terminal having a display; a keypad having a plurality of keys associated with several letters each; processor means controlling the display means in accordance with the operation of the keypad; a selectable predictive editor program for generating an output containing words matching a received string of ambiguous key strokes, said predictive editor program has a number of associated vocabularies including at least one language dependent dictionary and at least one dictionary receiving user defined inputs. An editor application is controlled by the processor means communicates with said predictive editor programs for generating matching words based on an ambiguous string of key strokes. Second memory means of the communication terminal for storing user inputted data. The processor means automatically searches said second memory means for words and copies these words into said at least one dictionary for receiving user defined inputs and associated with said predictive editor program.




FIG. 3

EP 1 031 913 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 00 30 1072

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
D,X	WO 98 33111 A (TEGIC COMMUNICATIONS INC) 30 July 1998 (1998-07-30) * page 9, line 24 - line 27 * * page 11, line 29 - page 12, line 8 * * page 12, line 30 - page 13, line 10 * * page 17, line 30 - page 18, line 23 * * page 26, line 16 - page 28, line 22 * * page 33, line 27 - page 35, line 21 * * page 36, line 14 - page 37, line 12 * * page 38, line 11 - line 24 * * page 39, line 18 - page 40, line 2 *	1-3,7-10	606F3/023 H04M1/72
Y		4-6	
X	WO 97 05541 A (GROVER DALE L ;KING MARTIN T (US); GRUNBOCK CHERYL ARLENE (US); KU) 13 February 1997 (1997-02-13) * page 8, line 13 - page 9, line 16 * * page 14, line 1 - line 13 * * page 21, line 23 - page 23, line 20 * * page 27, line 26 - page 29, line 10 * * page 30, line 21 - page 31, line 2 * * page 34, line 26 - line 29 *	1-3,7-10	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
Y	US 5 838 783 A (PENNING RANDALL J ET AL) 17 November 1998 (1998-11-17) * column 3, line 35 - column 4, line 7 *	4-6	H04M 606F
Y	US 5 742 669 A (LIM BOON-CHEN) 21 April 1998 (1998-04-21) * column 3, line 25 - column 4, line 5 *	4	
A	EP 0 570 116 A (NOKIA MOBILE PHONES LTD) 18 November 1993 (1993-11-18) * page 4, line 53 - page 5, line 18 * -/-	1,2,4,7	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 3 April 2001	Examiner Baas, G
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1505 03.02 (P0401)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 00 30 1072

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	EP 0 732 646 A (TOKYO SHIBAURA ELECTRIC CO) 18 September 1996 (1996-09-18) * column 17, line 1 - line 42 * * column 21, line 6 - line 32 * * column 23, line 31 - column 24, line 19 *	1,4,7,10	
L	"Nokia 3210 User's Guide" NOKIA, 'Online! 1999, pages 39-41, XP002163603 Retrieved from the Internet: <URL:http://www.nokia.com/pdf/nokia_pickya ama.pdf> 'retrieved on 2001-03-20! publication month unclear * the whole document *	1-10	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
Place of search THE HAGUE		Date of completion of the search 3 April 2001	Examiner Baas, G
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 (03.02) (P04001)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 00 30 1072

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

03-04-2001

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9833111	A	30-07-1998	US 5953541 A	14-09-1999
			AU 727539 B	14-12-2000
			AU 6037998 A	18-08-1998
			CN 1248333 T	22-03-2000
			EP 1010057 A	21-06-2000
WO 9705541	A	13-02-1997	US 5818437 A	06-10-1998
			AT 191282 T	15-04-2000
			AU 6714096 A	26-02-1997
			BR 9609807 A	21-12-1999
			CN 1195409 A	07-10-1998
			DE 69607472 D	04-05-2000
			DE 69607472 T	24-08-2000
			DK 842463 T	17-07-2000
			EP 0842463 A	20-05-1998
			ES 2146408 T	01-08-2000
			JP 2000508093 T	27-06-2000
			PT 842463 T	31-08-2000
			US 6011554 A	04-01-2000
US 5838783	A	17-11-1998	NONE	
US 5742669	A	21-04-1998	CN 1091578 A	31-08-1994
			GB 2273420 A,B	15-06-1994
			GB 2308945 A,B	09-07-1997
EP 0570116	A	18-11-1993	GB 2266797 A	10-11-1993
			DE 69321283 D	05-11-1998
			DE 69321283 T	12-05-1999
			US 5977887 A	02-11-1999
EP 0732646	A	18-09-1996	CN 1141452 A	29-01-1997
			JP 8314920 A	29-11-1996
			JP 2000187662 A	04-07-2000
			US 5786776 A	28-07-1998

EPO FORM P0489

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82



European Patent
Office

Application Number
EP 00 30 1072

CLAIMS INCURRING FEES

The present European patent application comprised at the time of filing more than ten claims.

- ☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):
- ☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.

LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

- ☐ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
- ☒ As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.
- ☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
- ☐ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:



European Patent
Office

**LACK OF UNITY OF INVENTION
SHEET B**

Application Number
EP 00 30 1072

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. Claims: 1-3

Communication terminal having a reduced keyboard. Words are written by pressing the keys once. Matching words are searched in language dictionary. The communication terminal comprises also a dictionary receiving user defined inputs. The user defined inputs are first loaded into a memory and subsequently copied to the user defined dictionary.

2. Claims: 4-6

Communication terminal having a reduced keyboard. Words are written by pressing the keys once. Matching words are searched in language dictionary. The communication terminal comprises also a dictionary receiving user defined inputs. Words are entered into the user defined dictionary in an unambiguous way. They are maintained in the dictionary according to their storing time.

3. Claims: 7-10

Communication terminal having a reduced keyboard. Words are written by pressing the keys once. Matching words are searched in language dictionary. A text string of entered words is displayed together with at least one matching word, which is marked in comparison to the remaining part of the text string. The matching word is added to the text string upon acknowledgement of the user.